UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/688,109	10/16/2003	Robert P. Meagley	042390.P17302	9235
59796 INTEL CORPC	7590 10/06/200 <b>DRATION</b>	EXAMINER		
c/o INTELLEV	ATE, LLC	WALKE, AMANDA C		
P.O. BOX 52050 MINNEAPOLIS, MN 55402			ART UNIT	PAPER NUMBER
			1795	
			MAIL DATE	DELIVERY MODE
			10/06/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
	10/688,109	MEAGLEY ET AL.				
Office Action Summary	Examiner	Art Unit				
	Amanda C. Walke	1795				
The MAILING DATE of this communication ap Period for Reply	ppears on the cover sheet with the o	correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
Responsive to communication(s) filed on <u>22.3</u> This action is <b>FINAL</b> . 2b) ☐ This action is <b>FINAL</b> . 100 ☐ This action is application is in condition for allowed closed in accordance with the practice under	is action is non-final. ance except for formal matters, pro					
Disposition of Claims						
<ul> <li>4)  Claim(s) 1-30 is/are pending in the application.</li> <li>4a) Of the above claim(s) is/are withdrawn from consideration.</li> <li>5)  Claim(s) is/are allowed.</li> <li>6)  Claim(s) 1-30 is/are rejected.</li> <li>7)  Claim(s) is/are objected to.</li> <li>8)  Claim(s) are subject to restriction and/or election requirement.</li> </ul>						
Application Papers						
<ul> <li>9) The specification is objected to by the Examiner.</li> <li>10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.  Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).</li> <li>11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.</li> </ul>						
Priority under 35 U.S.C. § 119						
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>						
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date	4)  Interview Summary Paper No(s)/Mail D 5)  Notice of Informal F 6)  Other:	ate				

Application/Control Number: 10/688,109 Page 2

Art Unit: 1795

## **DETAILED ACTION**

## Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 9/22/08 has been entered.

## Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 1-30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sewell et al (6,809,794) in view of Szmanda et al (6,787,286).

Sewell discloses a liquid immersion photolithography system includes an exposure system that exposes a substrate with electromagnetic radiation, and also includes a projection optical system that focuses the electromagnetic radiation on the substrate. The system include a light source and a plurality of lenses, the last one being in contact with the immersion liquid. The lens has an inherent refractive index. A liquid supply system provides a liquid between the projection optical system and the substrate. The projection optical system is positioned below the substrate. The system employs any known UV sensitive photoresist, but fails to specifically disclose one.

Art Unit: 1795

Szmanda et al disclose photoresists are provides that are suitable for short wavelength imaging, particularly sub-170 nm such as 157 nm. Resists of the invention comprise a fluorinecontaining polymer, a photoactive component, and a solvent component. Preferred solvents for use on the resists of the invention can maintain the resist components in solution and include one or more preferably two or more (i.e. blends) of solvents. In particularly preferred solvent blends of the invention, each blend member evaporates at substantially equal rates, whereby the resist composition maintains a substantially constant concentration of each blend member. A solvent blend that comprises water, and one or more additional solvents such as one or more of a carbonyl and/or non-carbonyl solvent such as a heptanone, cyclohexanone, ethyl lactate, propylene glycol methyl ether acetate, and the like; preferably, water is present in minor amounts, e.g. no more than about 5 volume %, more preferably no more than about 4, 3, 2, 1, 0.5 or 0.25 volume percent of the total solvent component of a resist composition. A variety of photoactive components may be employed in resists of the invention. Photoacid generators (PAGs) are generally preferred. Particularly preferred PAGs for use in resists of the invention include onium salt compounds including iodonium and sulfonium compounds; and non-ionic PAGs such as imidosulfonate compounds, N-sulfonyloxyimide compounds; diazosulfonyl compounds and other sulfone PAGS including  $\alpha,\alpha$ -methylenedisulfones and disulfonehydrazines, nitrobenzyl compounds, halogenated particularly fluorinated non-ionic PAGS. Preferred PAGs do not have aromatic substitution. A variety of other PAGs may be used in resists of the invention, including non-ionic PAGs such as substituted disulfone compounds; sulfonate compounds including N-oxyimino sulfonate compounds, α-cyano N-oxyimino sulfonate compounds; sidulfone hydrazine compounds; diazomethanedisulfone compounds;

Art Unit: 1795

nitrobenzyl compounds; substituted acylsulfonoium compounds; and oxime sulfonate compounds including bis-N-oxyimidosulfonate compounds. Preferred basic additives are amine compounds, including primary, secondary, tertiary and quaternary amines. Amines that are not highly nucleophilic are generally preferred to avoid undesired reaction of the base additive with other resist composition components such as the PAG and/or solvent. More particularly, secondary and tertiary amines are generally preferred, particularly secondary and tertiary amines that have sterically large substituents, such as optionally substituted alkyl having at least 3 or 4 carbons e.g. optionally substituted C3-20 alkyl; optionally substituted alkyl having at least 3 or 4 carbons e.g. optionally substituted C3-20 alkyl including alicyclic groups such as optionally substituted cyclohexyl, adamantly, isobornyl, etc.; optionally substituted alkenyl having at least 3 or 4 carbons e.g. optionally substituted C 3-20 alkenyl; optionally substituted alkynyl having at least 3 or 4 carbons e.g. C 3-20 alkynyl; optionally substituted carbocyclic ayl such as phenyl; optionally substituted heteroaryl or heroalicyclic such as heteroaryl or heteroalicyclic groups having 1 to 3 separate or fused rings with 1 to 3 hetero atoms (particularly N, O or S) per ring. Specifically preferred basic additives for use in resist compositions of the invention include DBU (1,8-diazobicyclo[5.4.0]undec-7-ene); DBN (1,5-diazabicyclo[4.3.0]non-5-ene; N,N-bis-(2hydroxyethyl)piperazine; N,N-bis-(2-hydroxyethyl)-2,5-diazobicyclo[2.2.1]heptane; Ntriisopropanolamine; dibutyl amine preferably branched isomers thereof such as diisobutylamine and ditertbutylamine; tributyl amine and again branched isomers thereof such as ditertbuylamine and tritertbutylamine; and the like. Optionally substituted piperidine and other optionally piperazine compounds also will be suitable, particularly hydroxy-substituted or C 1-12 alcoholsubstituted piperidines and piperazines, such as N-ethanol piperidine and N-diethanol piperazine.

Art Unit: 1795

Other basic compounds also are suitable, particularly having one or more nitrogen ring members and 5 to about 8 total ring members. Other preferred base additives include hydroxy-alkyl secondary and teriarty amines, e.g. secondary and tertiary amines having at least one Nsubstituent of C 2-20 alkyl having one, two three or more hydroxy moieties, typically one or two hydroxy moieties; alicyclic amines where at least one secondary or tertiary nitrogen is at the junction or bridgehead of a bicyclic or multicyclic compound. Pyridyl compounds also will be suitable such as di-butyl pyridine and polymers thereof such as poly(vinylpyridine). In general, polymeric basic additives will be suitable, e.g. substituted amines having a molecular weight of up to about 200, 300, 400, 500, 600, 700, 800, 900, 1000, 1100, 1200, 1300, 1400 or 1500. The dissolution inhibitor also need not be polymeric (i.e. contain repeat units). For example, a variety of non-polymeric compositions are suitable dissolution inhibitors for resists of the invention, particularly where those materials are fluorinated. For instance, suitable are fluorinated compounds having one or more separate or fused rings, including fluorinated steroidal compounds, e.g. a fluorinated cholates and lithocholates such as cholic acid, deoxycholic acid, lithocholic acid, t-butyl deoxycholate, t-butyl lithocholate, and the like. Fluoirnated steroidal compounds may be suitably preferred by fluorination of a known steroid, where a carbonyl group is modified to a diffuromethylene. Such non-polymeric compounds also may have one photoacid-labile groups, e.g. a photoacid-labile ester or acetal moiety, resists of the invention also may contain one or more plasticizer materials, which can inhibit or prevent undesired crazing or cracking of a deposited resist layer as well as enhance adhesion of the resist layer to an underlying material. Preferred plasticizers include e.g. materials having one or more hetero atoms (particularly S or O), and preferably materials having a molecular weight of about 20 to

Page 6

1000, more typically about 20 to about 50, 60, 70, 80, 90, 100, 150, 200, 250, 300, 400 or 500, e.g. adipates, sebacates and phthalates such as bis(2-butoxyethyl)adipate; bis(2-butoxyethyl)sebacate; bis-(2-butoxyethyl)phthalate; 2-butoxyethyl oleate; diisodecyl adipate; diisodecyl glutarate; and poly(ethylene glycols) such as poly(ethyleneglycol)acrylate, poly(ethylene glycol)bis(2-ethylhexanoate), poly(ethylene glycol)dibenzoate, poly(ethylene glycol)dioleate, poly(ethylene glycol)monooleate, tri(ethylene glycol)bis(2-ethylhexanoate), and the like.

Given the teachings of the references, it would have been obvious to one of ordinary skill in the art to employ the system of Sewell choosing to employ the known and advantageous UV sensitive photoresist of Szmanda et al.

## Response to Arguments

4. Applicant's arguments filed 9/22/08 have been fully considered but they are not persuasive. Applicant has again argued that the Sewell reference fails to teach the instantly claimed system and method comprising a last lens element, refractive index changing liquid, and a photoresist, however, the examiner respectfully disagrees. The arguments appear to be almost identical to those filed in the previous responses, therefore the examiner's position remains the same. It appears that the reference clearly teaches a last lens element as now claimed, indexmatching liquid, and photoresist layer (see column 1, lines 42-59 and column 3, line 30- column 4, line 23). One of ordinary skill in the art would have immediately envisaged choosing a compatible liquid for the type of resist being employed as to be able to form a pattern. Similarly, the lens would inherently have a specific index of refraction as the lens would be chosen to

perform the desired patterning function. Thus, the steps of determining the liquid and

constituents would also be met by the references. For these reasons, the rejection is maintained.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Amanda C. Walke whose telephone number is 571-272-1337.

The examiner can normally be reached on M-R 5:30-4.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Cynthia Kelly can be reached on 571-272-1526. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Amanda C Walke **Primary Examiner** 

Art Unit 1795

/Amanda C Walke/

Primary Examiner, Art Unit 1795

Application Number

Application/Control No.	Applicant(s)/Patent under Reexamination	
10/688,109	MEAGLEY ET AL.	
Examiner	Art Unit	
Amanda C. Walke	1795	

U.S. Patent and Trademark Office Part of Paper No. 20080929